

# Work Order ID 52632

October 5, 2009 10:04:02 AM



Page 1

Item ID: D3140-99

Accept



Setup Start



Revision ID: F

Stop



Item Name: Doubler

Start Date: 10/05/09 Start Qty: 2.00



Cust Item ID:

Required Date: 10/09/09 Req'd Qty: 2.00



Customer:

Reference:

Run Start



Approvals: Process Plan: CY

Date: 09/10/05 Tooling:

Date:

QC:

Date: SPC (Y/N):

Date:

Stop



Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Draw Number	Draw Rev.	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	----------------	--------------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
----------	--------------

D3140	Rev F
-------	-------

100

0.00



FLOW WATER JET

Waterjet

Memo

0.00

FLOW CNC Waterjet

1-Cut as per Dwg D3140 ☐ Dwg Rev: F ☐ Prog Rev: F ☐ 2-  
Deburr if necessary

IB 9-10-5

4

110

0.00



QC2- Inspect parts off machine FAI/FAIB

QC

Memo

0.00

Quality Control

IB 9-10-5

120

0.00



QC8- Inspect parts - second check

QC

Memo

0.00

Quality Control

27 S 01/10/06

40

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

# Work Order ID 52632

October 5, 2009 10:04:02 AM



Page 2

Item ID: D3140-99

Accept



Setup Start



Revision ID: F

Stop



Item Name: Doubler

Start Date: 10/05/09 Start Qty: 2.00



Cust Item ID:

Required Date: 10/09/09 Req'd Qty: 2.00



Customer:

Reference:

Run Start



Approvals: Process Plan:

Date:

Tooling:

Date:

Stop



QC:

Date:

SPC (Y/N):

Date:

Sequence ID/  
Work Center ID

Operation  
Description

Set Up/  
Run Hours

Draw  
Number

Draw  
Rev.

Plan  
Code

Accept  
Qty

Reject  
Qty

Reject  
Number

Insp.  
Stamp

130

0.00



Small Fab

Small Fab

Memo

0.00

Small Fab

1-Scuff surfaces with 80grit sandpaper per QSI 006□2-Deburr.□ No sharp edges

EM-1

09/10/06

4X

140

0.00



Chemical Conversion Coat per QSI005 4.1

HandFinish

Memo

0.00

Hand Finishing

WD 09/10/06

X4

150

0.00



QC3- Inspect Part Finish

QC

Memo

0.00

Quality Control

BL 09-10-6

4

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

# Work Order ID 52632

October 5, 2009 10:04:02 AM

Page 3

Item ID: D3140-99

Accept

Revision ID: F

Item Name: Doubler

Start Date: 10/05/09 Start Qty: 2.00

Required Date: 10/09/09 Req'd Qty: 2.00

Reference:

Approvals: Process Plan: Date:

Tooling: Date:

Run Start

QC: Date:

SPC (Y/N): Date:

Stop

Sequence ID/  
Work Center ID

Operation  
Description

Set Up/  
Run Hours

Draw  
Number

Draw  
Rev.

Plan  
Code

Accept  
Qty

Reject  
Qty

Reject  
Number

Insp.  
Stamp

160

Identify as per dwg & Stock Location: \_\_\_\_\_

0.00



Packaging

Memo

0.00

Packaging

170

QC21- Final Inspection - Work Order Release

0.00



QC

Memo

0.00

Quality Control



Setup Start



Stop



Cust Item ID:

Customer:



9/10/06 (40) Sd

09/10/07 JH  
pl 09-10-7

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

# Picklist Print

October 5, 2009 10:04:01 AM

Page 1

Work Order ID: 52632

Parent Item: D3140-99RevF

Parent Item Name: Doubler

Comments:

Start Date: 10/05/09

Required Date: 10/09/09

Start Qty: 2.00

Required Qty: 2.00

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Remaining Qty To Pick	Qty Issued	Date Issued	Status
M2024T3S.032		Purchased	No			110	sf	78.4179	0.2851	6000		



2024-T3 .032 sheet

139-10-5

<u>Warehouse</u>	<u>Loc Qty</u>	<u>Loc Code</u>
<u>Location</u>		
Main Warehouse		
MAT	78.41793158	
102942	1.5	
105555	4.0684	
106272	5.3	
108595	1.2	
109240	7.02	
110778	21.9106316	
111699	34.4189	111699
18147	3	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries







DESIGN #	DRAWN BY CB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED JH	APPROVED #	DRAWING NO. D3140	REV. F SHEET 1 OF 7
DATE 06.10.06		TITLE DOOR	SCALE NTS
A	02.04.18	NEW ISSUE	
B	03.01.23	REMOVE -65/-81/-83; ADD -301/-303	
C	04.11.08	CHANGE DELASTEK SPEC. TEC-77; ADD PART MARKING; ADD NOTES 11, 12, 13; CHANGE ANGLE -95/-97/-98 TO 106°	
D	05.11.23	ADD -103/-104/-105/-106; REMOVE -67	
E	06.06.09	1.75 WAS 1.88, 4.75 WAS 4.13 ON -08/-07, 1.00 WAS 1.20 ON -09/-10	
F	06.10.06	ADD NOTE 14; CORRECT PART TITLE, NOW D3140-09/-92/-104 SHOWN D3140-10/-91/-103 OPPOSITE	

RELEASED

06.11.13

QTY -05	QTY -06	QTY -07	QTY -08	QTY -09	QTY -10	PART NUMBER	DESCRIPTION
X						D3140-05	DOOR
	X					D3140-06	DOOR
		X				D3140-07	DOOR
			X			D3140-08	DOOR
		1		X		D3140-09	DOUBLER ASSEMBLY
			1		X	D3140-10	DOUBLER ASSEMBLY
3	3					D3140-57	PAD
1	1					D3140-59	PAD
2	2					D3140-61	PAD
2	2					D3140-63	PAD
		1	1			D3140-69	PAD
		1	1			D3140-71	PAD
		1	1			D3140-73	PAD
		1	1			D3140-75	PAD
		1	1			D3140-77	PAD
		1	1			D3140-79	PAD
				1	1	D3140-85	ANGLE
1	1					D3140-87	DOUBLER
				1	1	D3140-89	DOUBLER
		1				D3140-91	DOUBLER
			1			D3140-92	DOUBLER
3	3					D3140-95	DOUBLER
1						D3140-97	DOUBLER
	1					D3140-98	DOUBLER
		1	1			D3140-99	DOUBLER
		2	2			D3140-101	DOUBLER
		1				D3140-103	DOUBLER
			1			D3140-104	DOUBLER
		1				D3140-105	DOUBLER
			1			D3140-106	DOUBLER
1	1					D3140-241	DOUBLER
1		1				D3140-301	DOUBLER
	1		1			D3140-303	DOUBLER
				5	5	MS20426AD3-4	RIVET

C20910/05  
Wb. 52632



Copyright © 2002 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



DESIGN #	DRAWN BY CB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED JH	APPROVED #	DRAWING NO. D3140	REV. F SHEET 2 OF 7
DATE 06.10.06		TITLE DOOR	SCALE NTS

1

COMPOSITE LAYUP & BONDING I.A.W. DELASTEK PROCESS SPEC. TEC-77  
MATERIAL STORAGE & HANDLING TO BE I.A.W. DART QSI 006  
MAIN LAYUP USES FIBERCOTE E-761/7781 EPOXY FIBERGLASS.  
FILL WITH EPOCAST 87269 OR MAGNOBOND 77 A & B AND MA560 FOAM/ NB-51/30 FOAM

2

FINISH: DUPONT HIGHBUILD GREY PRIMER 1144-S

3

MAKE PARTS IN ACCORDANCE WITH THE FOLLOWING TOOLS/MOLDS:

PART	TOOL
D3140-05	B30-23000-01T
D3140-06	B30-23000-02T
D3140-07	B30-23000-03T
D3140-08	B30-23000-04T
D3140-57	B30-23000-57T
D3140-61	B30-23000-61T
D3140-63	B30-23000-63T
D3140-69	B30-23000-69T
D3140-71	B30-23000-71T
D3140-73	B30-23000-73T
D3140-75	B30-23000-75T
D3140-77	B30-23000-77T
D3140-79	B30-23000-79T
D3140-89	D3140-89T1
D3140-301	D3140-301T1
D3140-303	D3140-303T1

RELEASED

06.11.13

4

MATERIAL: 2024-T3 (QQ-A-250/4) 0.032 THICK (M2024T3S.032)  
FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1

5

MATERIAL: 2024-T3 (QQ-A-250/4) 0.020 THICK (M2024T3S.020)  
FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1

6

MATERIAL: 5052-H32/H34 (QQ-A-250/8) 0.040 THICK (M5052H32S.040)  
FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1

7

MATERIAL: POLIMEX TR75 1" THICK 4.5 LB KLEGECELL

8

ALL DIMENSIONS IN INCHES

9

TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

10

MATERIAL: 6061-T6 (QQ-A-250/11) 0.063 THICK (M6061-T6S.063)  
FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1

11

DOUBLER TO SIT ON TOP OF FOAM AT THIS LOCATION

12

DOUBLER TO BE RECESSED FLUSH INTO FOAM AT THIS LOCATION

13

RUBBER STAMP WITH DART P/N D3140-05/-06/-07/-08 USING MIL-STD-130

14

PARTS MUST BE SCUFFED WITH 80 GRIT SANDPAPER PRIOR TO ACID ETCH AND  
ALODINE PER DART QSI 005 4.1

F









Copyright © 2002 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



NTS





RELEASED


06.11.13

COPYRIGHT © 2002 BY DART AEROSPACE LTD.


THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DESIGN	4	DRAWN BY	CB	<b>DART</b>	DART AEROSPACE LTD. HAMPSHIRE, ONTARIO, CANADA
CHECKED	sh	APPROVED	#	DRAWING NO.	D3140
DATE	06.10.06	TITLE	DOOR	REV. F	SHEET 5 OF 7
				SCALE	NTS


C209/10/05  
 W/O: 52633





**D3140-87 DOUBLER**   
(REPLACES PREMIER P/N B30-23000-87)




**D3140-105F FLAT PATTERN**  
(USED TO MAKE D3140-105/-106 BRACKETS)




**D3140-105 DOUBLER**  
D3140-106 OPPOSITE




**D3140-103F FLAT PATTERN**  
(USED TO MAKE D3140-103/-104 BRACKETS)




**D3140-104 DOUBLER**  
D3140-103 OPPOSITE




**D3159-3F FLAT PATTERN**  
(USED TO MAKE D3159-3/-4 BRACKETS)



**D3140-301 DOUBLER**



**D3140-303 DOUBLER**







**D3140-85 ANGLE**   
FLAT PATTERN: 26.65" x 1.90"  
(REPLACES PREMIER P/N B30-23000-85)

RELEASED

06.10.06

COPYRIGHT © 2002 BY DART AEROSPACE LTD.		DESIGN #	DRAWN BY CB	<b>DART</b>	DART AEROSPACE LTD. HARRISBURG, ONTARIO, CANADA
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.		CHECKED [Signature]	APPROVED [Signature]	DRAWING NO. D3140	REV. F SHEET 6 OF 7
DATE 06.10.06		TITLE DOOR			SCALE NTS

0209110105  
W/O: 52032



RELEASED  
06.11.13

COPYRIGHT © 2002 BY DART AEROSPACE LTD.		DESIGN	DRAWN BY	<b>DART</b> DART AEROSPACE LTD. HARRISBURG, ONTARIO, CANADA	REV. F SHEET 7 OF 7
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.		CHECKED	APPROVED		
DATE		06.10.06		TITLE	SCALE
				DOOR	NTS

CY09/10/05  
W10:52632